ELIN LIGHTING INDUSTRY

LET THE WORLD BE SO BRIGHT

WWW.ELINLIGHTING.IR
+989129511334

ELIN LIGHTING INDUSTRIES COMPANY

The directors and founders of "ELIN *Lighting Industries"* are proud to have succeeded to date with a broad vision and the application of comprehensive and practical strategies to take important steps in beautifying the city, especially the night view and urban lighting.
Roshana Lighting Industries Company, supported by years of experience and expertise in the design and manufacture of lighting products, has entered the field of production and has succeeded in producing various types of lighting fixtures suitable for outdoor spaces. This complex has started working since 2012 by establishing and equipping factories totaling 12,000 square meters in the city of Mashhad and has always tried to make the quality of the product as much as possible, customer satisfaction and meeting the needs of consumers as its main goals. Using state-of-the-art knowledge, modern management methods, precise and principled planning, creative designers and ideators, Roshana Group has been able to take long and forward steps, along with utilizing equipment, strategies, techniques and employing specialized and experienced personnel in the production of lighting bases. The scope of activity of this industrial complex includes the production of various park, street, urban furniture, urban beautification elements, bus stations and industrial lights, and in recent years it has expanded its activities in the field of production of LED projectors, and wall washers and indoor linear lights.

Various departments of* ELIN *Lighting Industries Company:
ELIN Lighting Industries Company, understanding the fact that modern management methods are the modern needs of the country's industries and the implementation of quality management system and continuous improvement bears high importance to adapt to the most advanced scientific-technical achievements, uses ISO9001 system as a tool and model. All its activities always comply with the above standard. Therefore, this industrial unit has succeeded in implementing the principles of integrated management such as 5S, comprehensive ERP information system and IMS quality and productivity management system, etc., due to its potential and available facilities, as well as the departments representing its presence. These sections include design and engineering, research and development, various production sections including metalworking, welding, sandblasting, washing, painting and assembly, sales and marketing sections, as well as quality control and assurance unit.

مدیران و پایه‌گذاران شرکت صنایع روشنایی الین مفتخرند که تا به امروز با افق دیدی گسترده و به‌کاربستن استراتژی‌های جامع و کاربردی، به سهم خود گام مهمی در زیباسازی چهره‌ی شهر، به‌ویژه نمای شب و روشنایی شهری برداشته‌اند.
«صنایع روشنایی الین» به پشتوانه اندوخته‌ای از سال‌ها تجربه و تخصص در زمینه طراحی و ساخت محصولات روشنایی به عرصه تولید گام نهاده و موفق به تولید انواع پایه‌چراغ‌های روشنایی مناسب فضاهای بیرونی شده است.
این مجموعه از سال ۱۳۹۱ با تاسیس و تجهیز کارخانه‌ای بالغ بر ۱۲۰۰۰ متر مربع در شهر مشهد آغاز به کار نموده و همواره تلاش کرده تا کیفیت هرچه بیشتر محصول، رضایت مشتریان و تامین نیازهای مصرف‌کنندگان را از اصلی‌ترین اهداف خود قرار دهد. مجموعه روشنا توانسته با بهره‌گیری از دانش پیشرفته روز، روش‌های نوین مدیریت، برنامه‌ریزی دقیق و اصولی، طراحان خلاق و ایده‌پرداز، در کنار بهره‌جویی از تجهیزات، فنون، تکنیک‌ها و به کار بستن نیروهای متخصص و با تجربه، گام‌های موثری را در تولید پایه چراغ‌های روشنایی بردارد. دامنه فعالیت این مجموعه صنعتی در برگیرنده تولید انواع چراغ‌های پارکی، خیابانی، انواع مبلمان شهری، المان‌های زیباسازی شهری، ایستگاه‌های اتوبوس و چراغ‌های صنعتی بوده و در سال‌های اخیر فعالیت خود را در زمینه تولید انواع پروژکتورهای ال‌ای‌دی، وال‌واشرها و چراغ‌های خطی فضای داخلی گسترش داده است.

بخش های مختلف شرکت صنایع روشنایی الین :
شرکت روشنایی الین با درک این واقعیت که روش‌های نوین مدیریت، نیاز امروزی صنایع کشور است و اجرای سیستم مدیریت کیفیت و بهبود مستمر برای تطبیق با پیشرفته‌ترین دستاوردهای علمی-فنی، اهمیت بسیار دارد، از سیستم ISO9001 به عنوان ابزار و الگو استفاده کرده و در همه فعالیت‌های خویش همواره منطبق بر استاندارد فوق عمل می‌کند. لذا این واحد صنعتی با توجه به پتاسنیل و امکانات موجود و همین‌طور بخش‌های معرف حضور موفق به پیاده‌سازی اصول مدیریت یکپارچه همچون 5S ، سامانه جامع اطلاعات ERP و سیستم مدیریت کیفیت و بهره‌وری IMS و... شده است. این بخش‌ها شامل واحد طراحی و مهندسی، تحقیق و توسعه، بخش‌های مختلف تولید شامل فلزکاری، جوشکاری، سندبلاست، شستشو، رنگ و مونتاژ و نیز بخش‌های فروش و بازاریابی و همچنین واحد کنترل و تضمین کیفیت می‌باشد.

ROSHANA'S POINT OF VIEW

Roshana Company, as one of the largest manufacturers of lighting fixtures in order to gain a worthy position in the national market and achieve the goals of the organization and fulfill the company's mission through value creation and profit for the organization's shareholders, is committed to the following area:

- Continuous improvement of processes and increase their effectiveness
- Paying attention to the needs and requirements of shareholders and continuous efforts to meet them
- Empowering the employees of the organization and creating a learning organization in order to improve productivity
- Reducing and controlling safety hazards and harmful factors in the workplace
- Complying with applicable legal requirements and other requirements related to occupational safety and health hazards
- Striving for a successful presence in the international arena

Roshana's mission is to produce durable and modern lighting fixtures and supply them to the market at the most reasonable prices. Roshana has called on all intra-organizational and inter-organizational audiences to strive for cultural renewal and excellence in the field of urban lighting with the slogan of ***"Let the world be so bright"***.

Policies:

Roshna Company intends to increase the variety of its products due to the increasing need of the market and the development of technologies in order to capture more of the market share, and to provide lights with all LED technology to the market with the lowest amount of power consumption, the longest durability and the lowest price. The company also intends to provide more services to its customers by increasing its agencies across the country in addition to sales centers. The directors of the company intend to have an effective presence in the global markets by planning to participate in international and prestigious exhibitions and to provide the conditions for exporting their products.

TUV ICB
The Ultimate Value International Certification Body
Certificate of Registration

CE
Declaration of Conformity

TUV ICB
The Ultimate Value International Certification Body
Certificate of Registration

چشم‌انداز روشنا

شرکت روشنا به عنوان یکی از بزرگ‌ترین تولیدکنندگان انواع پایه‌چراغ‌های روشنایی به منظور کسب جایگاه شایسته در بازار ملی و دستیابی به اهداف سازمان و تحقق ماموریت شرکت از طریق ارزش‌آفرینی و کسب سود برای ذینفعان سازمان، خود را ملزم به تلاش در محورهای زیر می‌داند:

- بهبود مستمر فرایندها و افزایش اثربخشی آن ها
- توجه به نیازها و الزامات مشتریان و تلاش مستمر برای پاسخگویی به آن ها
- توانمندسازی کارکنان سازمان و ایجاد سازمانی یادگیرنده در جهت ارتقاء بهره‌وری
- کاهش و کنترل مخاطرات ایمنی و عوامل زیان آور محیط کار
- رعایت الزامات قانونی قابل کاربرد و دیگر الزامات مرتبط با خطرات ایمنی و بهداشت حرفه ای
- تلاش برای حضور موفق در عرصه‌های بین‌المللی

تولید انواع پایه چراغ های روشنایی با دوام و مدرن و عرضه آن‌ها با مناسب‌ترین قیمت به بازار، هدف شرکت روشنا است. روشنا با شعار «**شود روز گیتی بدین روشنا**» همه مخاطبین درون سازمانی و برون سازمانی را ندا داده است تا در راستای نوزایی و تعالی فرهنگی در زمینه روشنایی شهری بکوشند.

خط مشی‌ها

شرکت روشنا بر آن است با توجه به نیاز روزافزون بازار و پیشرفت تکنولوژی‌ها جهت تصاحب بیشتر بازار، تنوع محصولات خود را بالا برده و چراغ‌های با تکنولوژی تمام ال.ای.دی با کمترین میزان مصرف برق و بیشترین طول عمر مفید و نازل‌ترین قیمت را به بازار عرضه نماید. همچنین این شرکت بر آن است با افزایش نمایندگی‌های خود در سراسر کشور در کنار فروش، خدمات بیشتری را برای خریداران خود ارائه دهد. در ادامه مدیران شرکت برآنند تا با برنامه‌ریزی برای شرکت در نمایشگاه‌های بین‌المللی و معتبر، حضور موثری در بازارهای جهانی داشته و شرایط صادرات محصولات خود را فراهم سازند.

GAINING
THE BEST
SOLUTION
TOGETHER

VARIOUS DEPARTMENTS OF ROSHANA

Design and engineering unit

The engineering unit is trying to meet the diverse and growing needs of customers and collection directors with the most advanced software for drawing, modeling and analysis, as well as applying standards related to lighting equipment and using the latest knowledge of industrial design and drawing and increasing the variety of products in line with modern lighting technology. In addition, the design of all construction facilities and equipment, including machinery, tools and various forms of cutting, bending, stretching metals, as well as simulation of lighting environments, forecasting and calculation of lighting elements of construction projects is also the responsibility of this unit.

واحد طراحی و مهندسی

واحد مهندسی با پیشرفته‌ترین نرم‌افزارهای روز ترسیم، مدل‌سازی و آنالیز و همچنین با به کارگیری استانداردهای مربوط به تجهیزات روشنایی و نیز با بهره‌گیری از دانش روز طراحی و نقشه‌کشی صنعتی، در تلاش است تا بتواند در پاسخ‌گویی به نیازهای متنوع و روز افزون مشتریان و مدیران مجموعه، تنوع محصولات را همگام با تکنولوژی مدرن روشنایی، افزایش دهد. علاوه بر این، طراحی کلیه امکانات و تجهیزات ساخت اعم از ماشین آلات، ابزار و انواع قالب‌های برش، خم، کشش فلزات و همچنین شبیه‌سازی محیط‌های نورپردازی، پیش‌بینی و محاسبات المان‌های روشنایی پروژه‌های عمرانی نیز بر عهده این واحد می‌باشد.

Research and Development Unit

Using equipped laboratory facilities, this unit performs the required tests consistent with the relevant standards. These tests comprise mechanical, electrical, optical, temperature, humidity, and durability and other tests. Scientific production, efficient quality assurance, durability and proper operation of the lights are achieved in this way. This engineering unit always attempts to advance the quality of products, production efficiency and energy loss management by studying articles and monitoring modern technologies along with existing tools and equipment.

واحد تحقیق و توسعه

این واحد با به‌کارگیری تجهیزات آزمایشگاهی مجهز، آزمون‌های مورد نیاز را بر اساس استانداردهای مرتبط انجام می‌دهد. این آزمون‌ها شامل آزمون‌های مکانیکی، الکتریکی، نوری، دمایی، رطوبتی، دوام و... است. بدین ترتیب، تولید علمی، تضمین کیفیت کارا، دوام و عملکرد صحیح چراغ‌ها حاصل می‌گردد. این واحد مهندسی همواره با مطالعه مقالات و رصد تکنولوژی‌های روز در کنار ابزار و تجهیزات موجود سعی در بالا بردن کیفیت محصولات، راندمان تولید و مدیریت اتلاف انرژی را نیز دارد.

VARIOUS DEPARTMENTS OF ROSHANA

Metalworking unit

The metalworking unit includes cutting, welding, rolling forming machines, hydraulic and mechanical presses, break presses, fiber lasers and various types of radial and column drills with different capacities. The capacity of impact presses is from 5 to 40 tons, the capacity of hydraulic presses is from 20 to 350 tons and the capacity of break press is 125 tons which is used beside 1000 watt metal fiber laser cutting machine with a cutting capacity of steel sheets from 0.5 to 12 mm thickness for cutting and forming all parts of iron sheets, aluminum, stainless steel, etc.

واحد فلزکاری

واحد فلزکاری شامل دستگاه‌های برشکاری، جوش، رولفرمینگ، دستگاه‌های پرس هیدرولیک و مکانیکی، پرس برک، لیزر فایبر و انواع دریل‌های رادیال و ستونی با ظرفیت‌های مختلف است. ظرفیت پرس‌های ضربه‌ای از ۵ تا ۴۰ تن، ظرفیت پرس‌های هیدرولیک از ۲۰ تا ۳۵۰ تن متغیر و ظرفیت پرس برک ۱۲۵ تن است که در کنار دستگاه لیزر فایبر برش فلزات ۱۰۰۰ وات با ظرفیت برش ورق‌های فولادی از ضخامت ۰/۵ تا ۱۲ میلیمتر برای برش و شکل‌دهی کلیه قطعات ورق آهن، آلومینیوم، استنلس استیل و... استفاده می‌شود.

Welding unit

By reason of the importance of steel structures produced in this company, which must be in accordance with existing welding standards and various atmospheric and geological conditions of lighting projects, it has been decided to use a variety of metal welding technologies such as manual electrode welding (SMAW), gas welding with passive shields such as CO2 welding (GMAW) and argon gas welding (TIG) to produce their products. The welding unit of Roshana complex has an indoor hall and is equipped with equipments such as welding machines, plasma cutting machines, metal section cutting machines, etc., in which other production processes such as cutting and spear polishing are performed.

واحد جوشکاری

با توجه به اهمیت سازه‌های فلزی تولیدی در این شرکت که می‌بایست متناسب با استانداردهای جوش موجود و شرایط گوناگون جَوی و زمین‌شناختی محل اجرای پروژه‌های روشنایی باشند، بر آن شده تا از انواع تکنولوژی‌های جوشکاری قطعات فلزی همچون جوشکاری الکترود دستی (SMAW)، جوشکاری با گاز محافظ غیر فعال همچون جوشکاری CO2 (GMAW) و جوشکاری با گاز آرگون (TIG) برای تولید محصولات خود بهره گیرد. واحد جوشکاری مجموعه روشنا دارای سالنی سرپوشیده و مجهز به تجهیزاتی از قبیل انواع دستگاه‌های جوش، برش پلاسما، دستگاه‌های برش مقاطع فلزی و... می‌باشد که دیگر فرایندهای تولیدی همچون برشکاری و پرداخت نیز در آن انجام می‌پذیرد.

Sandblast unit

Sandblasting is the preliminary stage for painting steel parts. This process removes contaminants on the parts that interfere with their painting.

Roshana Great Blast or Sand Blast unit is equipped with a separate indoor hall, air compressor and other related equipment along with experienced staff.

واحد سندبلاست

سند بلاست مرحله مقدماتی برای رنگ آمیزی قطعات فولادی می‌باشد. این پروسه باعث می‌شود تا آلودگی‌های موجود روی قطعات که باعث اخلال در رنگ آمیزی آن‌ها می‌شود از بین بروند. واحد گریت بلاست یا سند بلاست شرکت روشنا مجهز به سالن سرپوشیده مجزا، کمپرسور باد و دیگر تجهیزات مرتبط در کنار کادر مجرب می‌باشد.

[illegible] and painting unit

The washing line of this unit, equipped with washing systems with multi-stage chemicals, prepares the surface of metal parts for painting. This operation maximizes the adhesion of the paint while cleaning, degreasing and protecting the parts against corrosion. The automatic electrostatic powder paint line is equipped with uniform spraying systems and digital controllers with which the paint thickness is the same on all parts surfaces. Then the relevant parts enter the furnaces with uniform temperature and at a certain time, powder paint is applied.

واحد شستشو و رنگ

خط شستشوی این واحد، مجهز به سیستم‌های شستشو با مواد شیمیایی چند مرحله‌ای، سطح قطعات فلزی را برای رنگ آماده می‌کنند. این عملیات ضمن نظافت و چربی زدایی و حفاظت قطعات در برابر خوردگی، چسبندگی رنگ را به حداکثر می‌رساند. خط رنگ پودری الکترواستاتیک اتوماتیک، مجهز به سیستم‌های پاشش یکنواخت و کنترلرهای دیجیتالی است که با آن ضخامت رنگ در تمام سطوح قطعات یکسان می‌شود. در ادامه قطعات مربوطه وارد کوره‌هایی با دمای یکنواخت شده و در زمان مشخص، رنگ پودری به عمل می‌آید.

Assembly unit

The assembly unit assembles and tests various types of lights using numerous lines and modern equipment such as laser machines for plastic sheets. Continuous monitoring of quality control personnel on all stages of production, including assembly, plays a key role in minimizing errors and mistakes.

واحد مونتاژ

واحد مونتاژ با بهره‌گیری از خطوط متعدد و تجهیزات مدرن همچون دستگاه لیزر ورق‌های پلاستیک، انواع چراغ ها را مونتاژ و آزمایش می‌کنند. نظارت پیوسته پرسنل کنترل کیفیت بر تمام مراحل تولید از جمله مونتاژ در به حداقل رساندن میزان بروز خطا و اشتباه نقشی اساسی دارد.

VARIOUS DEPARTMENTS OF ROSHANA

Sales and marketing unit

The sales department started with the aim of managing all matters that lead to the identification, maintenance and satisfaction of customers, and receiving and analyzing the existing feedback by studying the target market and continuous relationship with the supply chain. The unit strives diligently to support goods, meet consumer needs, provide technical guidance and thus satisfy customers. All Roshana agencies across the country are equipped with technical product information and are ready to serve esteemed customers.
The main activities of this unit are marketing planning, incentive and promotion programs for different groups, identifying target markets, participating in specialized exhibitions, conferences, planning and executing advertising campaigns.

واحد فروش و بازاریابی

واحد فروش با این هدف آغاز به فعالیت نمود که کلیه اموری را که به شناسایی، نگهداری و رضایت مشتریان منتج می‌گردد، مدیریت نموده و با مطالعه بازار هدف و ارتباط مستمر با زنجیره تأمین، بازخوردهای موجود را دریافت و تجزیه و تحلیل نماید. این واحد با هدف پشتیبانی از کالاها، برآورده کردن نیازهای مصرف‌کنندگان، هدایت فنی و در نتیجه جلب رضایت مشتریان، مجدانه می‌کوشد. کلیه نمایندگان روشنا نیز در سراسر کشور با مجهز بودن به اطلاعات فنی محصولات، آماده سرویس دهی به مشتریان محترم هستند.
اهم فعالیت‌های این واحد، برنامه‌ریزی برای بازاریابی، برنامه‌های تشویقی و ترویجی برای گروه‌های مختلف، شناسایی بازارهای هدف، شرکت در نمایشگاه‌های تخصصی، همایش‌ها، برنامه‌ریزی و اجرای کمپین‌های تبلیغاتی می‌باشد.

Quality control and assurance unit

Quality control unit in accordance with the standard requirements of the company and with the presence of experienced staff and using the most modern inspection and testing equipment, inspect and control all input items and the entire production process, including semi-finished parts to final products, including prototyping, metalworking, painting and assembly, and also with latest software, monitors the production process by statistical process control (SPC). In addition, in the ISO 9001 quality management system, monitoring the system deployment process and ensuring its effectiveness and efficiency with systems and methods is the responsibility of the quality assurance unit. Besides, overseeing the optimization and redesign of processes and performing the necessary work to continuously advance them by the units of the organization is also among the responsibilities of this unit.

واحد کنترل و تضمین کیفیت

واحد کنترل کیفیت بر طبق الزامات استاندارد این شرکت و با وجود کادر مجرب و با به‌کارگیری مدرن‌ترین تجهیزات بازرسی و آزمون، کلیه اقلام ورودی و کل فرایند تولید اعم از قطعات نیم‌ساخته تا محصولات نهایی شامل، نمونه‌سازی، فلزکاری، رنگ و مونتاژ را بازرسی و کنترل می‌کند و نیز با نرم افزارهای پیشرفته روز، فرایند تولید را به روش کنترل فرایند آماری (SPC) تحت نظارت دارد. ضمنا در سیستم مدیریت کیفیت ISO 9001، نظارت بر جریان استقرار سیستم و حصول اطمینان از اثربخشی و کارایی آن با سیستم‌ها و روش‌ها، برعهده واحد تضمین کیفیت است. همچنانکه، نظارت بر بهینه‌سازی و طراحی مجدد فرایندها و انجام کارهای لازم به منظور بهبود مستمر آن‌ها توسط واحدهای سازمان نیز بر عهده این واحد می‌باشد.

PARK LIGHTS

22 ~ 53

CONTENTS

CONTENTS

56 ~ 71
STREET LIGHTS
ROYAL 1 56
ROYAL 2 56
CARINA 3 57
CARINA 2 57
FORUZAN 58
MIKA 58
SETAYESH 2 62
PHOENIX 1 63
PHOENIX 2 63
AGHIGH 64
YAGHUT 65
HIVA 66
74 ~ 81
CLASSIC LIGHTS
PERSIA 1 74
PERSIA 2 74
PERSIA 3 74
PERSIA 4 74
MARYAM 1 75
MARYAM 2 75
PARISA 3 77
MAYA 1 78
MAYA 2 78
MAYA 3 78
SASHA 1 80
SASHA 2 80
84 ~ 95
LAWN LIGHTS
ROZITA 84
AZITA 84
KITA SERIES 84
LINA 85
NIHAN 85
SEVEN 85
PANIZ 2 87
ARAS 87
PARTO 1 87
PARTO 2 87
RONIKA 88
DAYAN 88

LAWN LIGHTS

84 ~ 95

URBAN FURNITURE

98 ~ 103

CONTENTS

URBAN ELEMENTS

106 ~ 113

OTHER LED LIGHTS

116 ~ 123

OUTDOOR LIGHTS

PARK LIGHTS

JUPITER

RO-P4955

YASHA

RO-P4156

ILIYA SERIES

ILIYA 1
RO-P4177

ALU BODY | AC LAMPSHADE | 48W | 3000K 6500K COLOR TEMP | 90° | IP 65 | 270 CM | BP TYPE D

ALU BODY | AC LAMPSHADE | 2 X 48W | 3000K 6500K COLOR TEMP | 90° | IP 65 | 270 CM | BP TYPE D

ILIYA 2
RO-P4277

STEEL BODY | ALU HEADLIGHT | 2 X 48W | 3000K 6500K COLOR TEMP | 90° | IP 65 | 500 CM | BP TYPE D

BITA
RO-P4827

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

SEPANTA

RO-P4077

BERMUDA

RO-P4377

ALU
BODY

AC
LAMPSHADE

6 X 24W

3000K
6500K
COLOR TEMP

90°

IP
65

h
240 CM

BP
TYPE U

VORIYA

RO-P4054

BODY

LAMPSHADE

24W

48W

TYPE J

PICHAK

RO-P4802

BODY

LAMPSHADE

6 X

TYPE D

ARSHA

RO-P4053

MACAN

RO-P4973

ANGEL SERIES

ANGEL 3
RO-P4133

STEEL BODY | AC LAMPSHADE | 3 X 48W | 3000K 6500K COLOR TEMP | 90° | IP 65 | 800 CM | BP TYPE D

STEEL BODY | AC LAMPSHADE | 2 X 48W | 3000K 6500K COLOR TEMP | 90° | IP 65 | 600 CM | BP TYPE D

STEEL BODY | AC LAMPSHADE | 48W | 3000K 6500K COLOR TEMP | 90° | IP 65 | 280 CM | BP TYPE D

ANGEL 2
RO-P4032

ANGEL 1
RO-P4030

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

NIAYESH SERIES

AFARINESH
RO-P4645

NIAYESH 1
RO-P4647

NIAYESH 2
RO-P4646

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

VENUS SERIES

VENUS 2
RO-P4909

STEEL BODY | AC LAMPSHADE | 48W | 24W | 3000K 6500K COLORTEMP | 90° | IP 65 | 600 CM | BP TYPE D

BY ORDER

24W | 12W

STEEL BODY | AC LAMPSHADE | 24W | 3000K 6500K COLORTEMP | 90° | IP 65 | 250 CM | BP TYPE D

PARHAM
RO-P4033

STEEL BODY | AC LAMPSHADE | 2 X 24W | 3000K 6500K COLORTEMP | 90° | IP 65 | 600 CM | BP TYPE D

VENUS 1
RO-P4908

NASTARAN

RO-P4628

BODY HEADLIGHT LAMPSHADE 4 X

TYPE E

SHAGHAYEGH

RO-P4088

BODY HEADLIGHT LAMPSHADE 2 X

TYPE F

KHALIJ FARS SERIES

NOYAN

RO-P4985

STEEL BODY
AC LAMPSHADE
2 X 48W
3000K 6500K COLOR TEMP
IP 65
h 655 CM
BP TYPE F

STEEL BODY
ALU HEADLIGHT
PC LAMPSHADE
2 X
IP 42
h 550 CM
BP TYPE F

KHALIJ FARS 2
RO-P4082

STEEL BODY
ALU HEADLIGHT
PC LAMPSHADE
1 X
IP 42
h 550 CM
BP TYPE F

KHALIJ FARS 1
RO-P4080

ISO 9001
CE
ES PUR COLOR

YAS

RO-P4040

AYSAN

RO-P4035

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

ELSA

RO-P4993

ANDROMEDA

RO-P4029

SAHAND

RO-P4026

SABALAN

RO-P4125

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

TABAN 4

RO-P4058

TABAN 2

RO-P4959

KAREN SERIES

KAREN 2
RO-P4086

KAREN 3
RO-P4087

KAREN 1
RO-P4085

KARENA SERIES

KARENA 4
RO-P4098

KARENA 1
RO-P4069

KARENA 2
RO-P4097

DRAGON

RO-P4900

STEEL — BODY
AC — LAMPSHADE
2 X 24W
3000K 6500K COLOR TEMP
90°
IP 42
h — [illegible] CM
BP — TYPE O

RONIKA

RO-P4949

STEEL — BODY
AC — LAMPSHADE
2 X 24W
3000K 6500K COLOR TEMP
90°
IP 65
h — 500 CM
BP — TYPE W

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

PASHA

RO-P4055

DAYAN

RO-P4060

HILMA

RO-P4099

ARTA

RO-P4625

ARAS

RO-P4046

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

OUTDOOR LIGHTS
PARK LIGHTS
HILMA
NEW PARK LIGHTS
پارک پژوهش مشهد
میدان کوثر
WWW.ELINLIGHTING.IR

KARO SERIES

STEEL BODY | ALU HEADLIGHT | AC LAMPSHADE | IP 42 | h 520 CM | BP TYPE D

KARO 2
RO-P4627

STEEL BODY | ALU HEADLIGHT | PC LAMPSHADE | IP 42 | h 520 CM | BP TYPE D

KARO 1
RO-P4626

ARGHAVAN SERIES

ARGHAVAN 2
RO-P4016

ARGHAVAN 1
RO-P4014

ELINE SERIES

ELINE 1
RO-P4984

BODY

LAMPSHADE

48W

90°

IP 65

500 CM

TYPE D

ELINE 2
RO-P4162

AFTABGARDAN SERIES

AFTABGARDAN 1
RO-P4027

AFTABGARDAN 2
RO-P4037

X2

ROYAL 2
RO-P4052

X1

ROYAL 1
RO-P4051

X1

SOREN
RO-P4055

X1

SOREN
RO-P4050

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

X2

YAGHUT 2
RO-P4682

X1

YAGHUT 1
RO-P4681

X2

SAMEN 2
RO-P4022

X1

SAMEN 1
RO-P4021

ISO
ISO 9001

CE

ES PUR COLOR

RAYAN

RO-P4986

BODY

HEADLIGHT

LAMPSHADE

500 CM

TYPE D

MERSEDEH

RO-P4045

BODY

COVER

HEADLIGHT

LAMPSHADE

2 X

500 CM

TYPE D

ARKA

RO-P4990

ABAT-JOUR

RO-P4988

KITA

RO-P4157

- STEEL — BODY
- AC — LAMPSHADE
- 24W
- 3000K 6500K — COLOR TEMP
- IP 65
- h — 240 CM
- BP — TYPE U

ROSA

RO-P4159

- STEEL — BODY
- AC — LAMPSHADE
- 2 X 12W
- 3000K 6500K — COLOR TEMP
- IP 42
- h — 240 CM
- BP — TYPE U

KIA

RO-P4158

- STEEL — BODY
- AC — LAMPSHADE
- 24W
- 3000K 6500K — COLOR TEMP
- IP 65
- h — 240 CM
- BP — TYPE I

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

HIRAD

RO-P4161

STEEL BODY · AC LAMPSHADE · 2 X 24W · 3000K 6500K COLOR TEMP · 90° · IP 65 · h 275 CM · BP TYPE D

SETIA

RO-P4134

STEEL BODY · AC LAMPSHADE · 2 X 24W · 3000K 6500K COLOR TEMP · 90° · IP 65 · h 500 CM · BP TYPE D

HAIMA

RO-P4992

STEEL BODY · AC LAMPSHADE · 4 X 24W · 3000K 6500K COLOR TEMP · 90° · IP 65 · h 500 CM · BP TYPE D

OUTDOOR LIGHTS
STREET
LIGHTS
ELIN LIGHTING

CARINA 3

RO-R6040

STEEL — BODY
STEEL — COVER
AC — LAMPSHADE
ALU — HEADLIGHT
6 X 24W
3000K 6500K COLOR TEMP
IP 65
BP — TYPE K

CARINA 2

RO-R6042

STEEL — BODY
STEEL — COVER
AC — LAMPSHADE
ALU — HEADLIGHT
4 X 24W
2 X 48W
3000K 6500K COLOR TEMP
IP 65
BP — TYPE K

PARSA

RO-B6512

STEEL
BODY
h
BP
TYPE K

PARMIDA

RO-B6515

STEEL
BODY
h
BP
TYPE K

ISO
ISO 9001
CE
ES
PUR
COLOR

TOOKA

RO-B6522

BODY 600 CM TYPE K

ALBORZ

RO-B6532

STEEL

BODY

600 CM

TYPE K

VARESH

RO-R6010

STEEL
BODY

AC
LAMPSHADE

IP 65

6 X 48W

90°

3000K 6500K
COLOR TEMP

h
600 CM

BP
TYPE P

TIMA

RO-R6020

STEEL
BODY

AC
LAMPSHADE

IP 65

20W

4 X 24W

90°

3000K 6500K
COLOR TEMP

h
500 CM

BP
TYPE K

SETAYESH 1

RO-R7650

SETAYESH 2

RO-R7655

PHOENIX 2

RO-R6052

PHOENIX 1

RO-R6050

AGHIGH SERIES

RO-B8095

BODY

COVER

900 CM

TYPES

HIMALIYA COVER
RO-B7014

ALVAND COVER
RO-B7012

SOREN 1 COVER
RO-B7013

ROYAL COVER
RO-B7017

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

YAGHUT SERIES

RO-R8010

BODY

HEADLIGHT

LAMPSHADE

950 CM

TYPES

HIVA SERIES

RO-B8110

STEEL	ALU	h	BP
BODY	COVER	1000 CM	TYPE 5

DENA COVER
RO-B7011

ALVAND COVER
RO-B7012

SOREN 1 COVER
RO-B7013

ROYAL COVER
RO-B7017

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

HIMA SERIES

RO-B8120

STEEL — BODY | ALU — COVER | h — 1000 CM | BP — TYPES

MARAL SERIES

RO-B6025

BODY

COVER

900 CM

TYPES

DENA COVER
RO-B7011

ALVAND COVER
RO-B7012

SOREN 1 COVER
RO-B7013

ROYAL COVER
RO-B7017

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

RASH

RO-B6115

BODY OPTIONAL VARIABLE

CODE	HEIGHT (M)	BP (TYPE)	SIDE (N)	SECTION (CM)	CUT LENGTH(M)	THICKNESS (MM)
RO-L2260	0.6	A	6	12-6	0.6	2
RO-L2280	0.8	A	6	12-6	0.8	2
RO-B4124	2.4	D	6	14-6	2.4	2
RO-B4128	2/8	D	6	14-6	2/8	2
RO-B4130	3	D	6	14-6	3	2
RO-B6140	4	J	6	17-10	3.8	2.5
RO-B6160	6.2	K	6	20-12	6	3
RO-B6175	7.2	R	6	20-12	6-1/5	3-2.5
RO-B6190L	8.5	Q	6	24-15	6-3	3
RO-B6190N	8.5	Q	6	24-15	6-3	4-3
RO-B6190H	900	S	8	25-14	6-3/5	4-4
RO-B6112L	11.5	S	6	28-12	6-6	4-3
RO-B6112N	11.5	T	6	28-14	6-6	4-4
RO-B6112H	11.5	T	8	28-15	6-6	5-4
RO-B6115N	14.5	Z	8	31-14	6-6-3/5	5-4-4

AVAILABLE BRACKET PACKAGE:

STEEL 2 SIDED BRACKET
RO-U9522

STEEL 4 SIDED BRACKET
RO-U9524

STEEL 6 SIDED BRACKET
RO-U9526

STEEL 8 SIDED BRACKET
RO-U9528

SEPIDAR

RO-B6212

BODY OPTIONAL VARIABLE

CODE	HEIGHT (M)	BP (TYPE)	DIAMETER (INCH)	CUT LENGTH(M)	THICKNESS (MM)
RO-L2460	0.6	A	3-2	0/2-0/4	2-2
RO-L2480	0.8	A	3-2	0/3-0/5	2-2
RO-B4324	2.4	D	3-2	1-1/5	2-2
RO-B4327	2.7	D	3-2	1/2-1/5	2-2
RO-B4330	3	D	3-2	1-2	2-2
RO-B4340	4	J	4-3	1/2-3	2-2
RO-B6260N	6	K	4-3	3-3	2/5-2
RO-B6260H	6	K	4	6	2.5
RO-B6275	7.5	R	5-4	1/5-6	3-2/5
RO-B6290L	9	Q	5-4-3	3-3-3	3-2/5-2/5
RO-B6291L	9	Q	6-4	3-6	3-2/5
RO-B6290N	9	Q	6-5-4	3-3-3	3-2/5-2/5
RO-B6290H	9	S	6-5-4	3-3-3	3/5-3-3
RO-B6212N	12	S	6-5-4	3-3-6	3/5-3-2/5
RO-B6212H	12	T	6-5-4	6-3-3	3/5-3-3

AVAILABLE BRACKET PACKAGE:

STEEL 2 SIDED BRACKET
RO-U9522

STEEL 4 SIDED BRACKET
RO-U9524

STEEL 1 SIDE BRACKET
RO-U9530

STEEL 2 SIDED BRACKET
RO-U9532

ANGEL SERIES

RO-R6030

STEEL
BODY

AC
LAMPSHADE

2 X 48W

3000K 6500K
COLOR TEMP

90°

IP 65

h
550 CM

BP
TYPE K

RO-R6031

STEEL
BODY

AC
LAMPSHADE

2 X 48W

48W

3000K 6500K
COLOR TEMP

90°

IP 65

h
550 CM

BP
TYPE K

RO-R6032

STEEL
BODY

AC
LAMPSHADE

4 X 48W

3000K 6500K
COLOR TEMP

90°

IP 65

h
550 CM

BP
TYPE K

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

ARIO SERIES

STEEL
BODY
AC
LAMPSHADE
4 X 48W
3000K 6500K
COLOR TEMP
90°
IP 65
h
550 CM
BP
TYPE K

RO-R6036

STEEL
BODY
AC
LAMPSHADE
2 X 48W
48W
3000K 6500K
COLOR TEMP
90°
IP 65
h
550 CM
BP
TYPE K

RO-R6034

STEEL
BODY
AC
LAMPSHADE
2 X 48W
3000K 6500K
COLOR TEMP
90°
IP 65
h
550 CM
BP
TYPE K

RO-R6035

ISO
ISO 9001
CE
ES
PUR
COLOR

TELEPHO
TELEPHONE
OUTDOOR LIGHTS
CLASSIC
LIGHTS
ELIN LIGHTING

PERSIA SERIES

PERSIA 4
RO-P4654

BODY

LAMPSHADE

4 X

640 CM

TYPE E

295 CM
TYPE D

PERSIA 1
RO-P4651

2 X
330 CM
TYPE D

PERSIA 2
RO-P4652

3 X
330 CM
TYPE E

PERSIA 3
RO-P4653

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

MARYAM SERIES

MARYAM 4
RO-P4414

BODY
LAMPSHADE
4 X
520 CM
TYPE E

6 X
510 CM
TYPE D

MARYAM 3
RO-P4413

2 X
510 CM
TYPE D

MARYAM 2
RO-P4412

275 CM
TYPE D

MARYAM 1
RO-P4411

PARNIA SERIES

PARNIA 3
RO-P4673

PARNIA 1
RO-P4671

PARNIA 2
RO-P4672

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

PARISA SERIES

PARISA 3
RO-P4633

BODY

LAMPSHADE

3X

615 CM

TYPE E

2X

615 CM

TYPE D

PARISA 2
RO-P4632

295 CM

TYPE D

PARISA 1
RO-P4631

MAYA SERIES

MAYA 3
RO-P4073

BODY

LAMPSHADE

TYPE E

MAYA 1
RO-P4071

MAYA 2
RO-P4072

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

MAYA
ORIGINALITY CLASSIC LIGHTS

SASHA SERIES

SASHA 1
RO-P4690

SASHA 2
RO-P4691

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

PARIA SERIES

PARIA 1
RO-P4070

AC

250 CM

BP
TYPE B

PARIA 2
RO-P4090

OUTDOOR LIGHTS
LAWN
LIGHTS

ROZITA

RO-L2076

ALU BODY · AC LAMPSHADE · 3000K 6500K COLOR TEMP · 90° · IP 42 · 12W · 120 CM · BP TYPE X

AZITA

RO-L2077

ALU BODY · AC LAMPSHADE · 3000K 6500K COLOR TEMP · 90° · IP 42 · 12W · 60 CM · BP TYPE X

STEEL BODY · PP LAMPSHADE · 3000K 6500K COLOR TEMP · 90° · IP 42 · 2W · BP TYPE C

40 CM · KITA 40 · RO-L2340

60 CM · KITA 60 · RO-L2360

80 CM · KITA 80 · RO-L2380

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

LINA

RO-L2220

STEEL BODY · AC LAMPSHADE · 3000K 6500K COLOR TEMP · 90° · IP 65 · 7W · 12W · 80 CM · BP TYPE C

NIHAN

RO-L2596

STEEL BODY · AC LAMPSHADE · 3000K 6500K COLOR TEMP · 90° · IP 65 · 12W · 80 CM · BP TYPE C

STEEL BODY · AC LAMPSHADE · 3000K 6500K COLOR TEMP · 60° · IP 42 · 2 X 7W · 100 CM · BP TYPE C

TARANEH
RO-L2222

STEEL BODY · AC LAMPSHADE · 3000K 6500K COLOR TEMP · 90° · IP 65 · 12W · 80 CM · BP TYPE C

PARHAM
RO-L2300

STEEL BODY · AC LAMPSHADE · 3000K 6500K COLOR TEMP · 90° · IP 65 · 12W · 80 CM · BP TYPE C

SEVEN
RO-L2225

ISO 9001 · CE · ES PUR COLOR

TARA SERIES

TARA 2
RO-L2069

ALU BODY | PP LAMPSHADE

IP 42 | 80 CM | BP TYPE G

TARA 1
RO-L2068

STEEL BODY | PP LAMPSHADE

IP 42 | 80 CM | BP TYPE C

ALU BODY | AC LAMPSHADE | IP 42 | 55 CM | BP TYPE C

NAGHSH JAHAN
RO-L2040

STEEL BODY | AC LAMPSHADE | 3000K 6500K COLOR TEMP | 20W | IP 42 | 45 CM | BP TYPE C

ATRISA
RO-L2542

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

PANIZ SERIES

PANIZ 2
RO-L2352

STEEL BODY · AC LAMPSHADE · 3000K 6500K COLOR TEMP · 60°
IP 42 · 7W · h 80 CM · BP TYPE C

PANIZ 1
RO-L2351

STEEL BODY · AC LAMPSHADE · 3000K 6500K COLOR TEMP · 60°
IP 42 · 7W · h 80 CM · BP TYPE C

ARAS
RO-L2048

PARTO 2
RO-L2145

PARTO 1
RO-L2045

RONIKA

RO-L2295

STEEL BODY | PP LAMPSHADE | 3000K 6500K COLOR TEMP | 90°
IP 42 | 2W | 80 CM | BP TYPE C

DAYAN

RO-L2233

STEEL BODY | AC LAMPSHADE | 3000K 6500K COLOR TEMP | 60°
IP 42 | 7W | 80 CM | BP TYPE C

TARANOM
RO-L2223

LINDA
RO-L2226

GHAZAL
RO-L2243

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

AYDIN SERIES

AYDIN 2
RO-L2059

STEEL BODY | ALU HEADLIGHT | AC LAMPSHADE
90° | 2 X 12W
IP 42 | h 80 CM | BP TYPE C

AYDIN 1
RO-L2058

STEEL BODY | ALU HEADLIGHT | AC LAMPSHADE
90° | 12W
IP 42 | h 80 CM | BP TYPE C

HELAL 2
RO-L2061

POUYAN
RO-L2140

ROHAM 2
RO-L2034

AVA

RO-L2343

STEEL (BODY) · AC (LAMPSHADE) · 3000K 6500K (COLOR TEMP) · 60°
IP 42 · 7W · 80 CM · BP (TYPE C)

ARAN

RO-L2325

STEEL (BODY) · PP (LAMPSHADE) · 3000K 6500K (COLOR TEMP) · 90°
IP 42 · 2W · 80 CM · BP (TYPE C)

KIA 40
RO-L2304

KIA 60
RO-L2306

KIA 80
RO-L2308

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

KASRA SERIES

KASRA 2
RO-L2055

STEEL BODY | AC LAMPSHADE | IP 42 | h 80 CM | BP TYPE M

KASRA 1
RO-L2054

STEEL BODY | AC LAMPSHADE | IP 42 | h 80 CM | BP TYPE M

MACAN 1
RO-L2270

MACAN 2
RO-L2273

MACAN 3
RO-L2276

ASHKAN

RO-L2032

ARSHIA

RO-L2031

LARISA 2
RO-L2388

LARISA 1
RO-L2385

Roshana

KATIBEH SERIES

بلوار استقلال
ESTEGHLAL BLV

بلوار آزادی
AZADI BLV

RO-L2080

STEEL BODY
CUST IRON COVER
AC LAMPSHADE
4 X
IP 42
h 200 CM
BP TYPE D

STEEL BODY
AC LAMPSHADE
3000K 6500K COLOR TEMP
IP 42
10W
BP TYPE C

h 80 CM

ROSA 80
RO-L2580

h 60 CM

ROSA 60
RO-L2560

h 40 CM

ROSA 40
RO-L2540

ISO 9001
CE
ES PUR COLOR

ARKA

RO-L2590

STEEL (BODY) · AC (LAMPSHADE) · 2 X 12W · 3000K 6500K (COLOR TEMP)
IP 65 · h 80 CM · BP (TYPE C)

ARSHA

RO-L2594

STEEL (BODY) · AC (LAMPSHADE) · 2 X 12W · 3000K 6500K (COLOR TEMP)
IP 65 · h 90 CM · BP (TYPE C)

MITRA 1
RO-L2570

MITRA 2
RO-L2575

RITA 1
RO-L2550

RITA 2
RO-L2555

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

OUTDOOR LIGHTS
LAWN LIGHTS
چراغ پارکی ترانه
نصب در باغ تالار
WWW.ELINLIGHTING.IR

URBAN
RNITURE
MAKE OUR
CITY BEAUTIFUL

SOHA BENCH

RO-M2000

STEEL BODY | WPC COVER | AC LAMPSHADE | IP 42 | L 120 CM | BP TYPE V

SOHA TRASH

RO-M2200

BODY | LAMPSHADE | 100 CM | TYPE V

KAREN CHAIR

RO-M2362

STEEL WOOD L
BODY COVER 170 CM

KAREN TRASH

RO-M2363

KAREN BENCH
RO-M2361

BEHSAZ CHAIR

RO-M2310

STRUCTURE

LEGS

COVER

155 CM

BEHSAZ TRASH

RO-M2300

BOX

LEGS

h

100 CM

BEHSAZ BENCH
RO-M2320

STRUCTURE

LEGS

COVER

150 CM

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

LIMA CHAIR

RO-M2350

STEEL STRUCTURE · WOOD COVER · AC LAMPSHADE · 2 X 7W · IP 42 · L 170 CM

LIMA TRASH

RO-M2354

LIMA BENCH
RO-M2356

L 170 CM

ARAMESH CHAIR

RO-M2364

STEEL — BODY

L — 150 CM

ARAMIS CHAIR

RO-M2365

STRUCTURE

COVER

160 CM

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

ZIMA CHAIR

RO-M2367

STEEL — STRUCTURE | WOOD — COVER | L — 160 CM

RIMA CHAIR

RO-M2366

STRUCTURE

COVER

150 CM

MAKE OUR CITY BEAUTIFUL
URBAN
ELEMEN

NTS
ELIN LIGHTING

BUS STATION

RO-M4000

The structure of the bus station is made of steel and its surface is made of composite sheet and colored steels with a frame made of stainless steel and all LED lights.
Station features such as LED billboards, digital clocks, status bulletin boards, solar panels, wireless chargers, trash cans, etc. can be customized.

سازه ایستگاه اتوبوس از جنس فولاد و رویه آن از ورق کامپوزیت و فولادهای رنگی با فریمی از جنس استیل ضد زنگ و روشنایی تمام ال.ای.دی می‌باشد.
امکانات ایستگاه همچون تابلوهای تبلیغاتی ال.ای.دی، ساعت دیجیتال، تابلوهای اعلان وضعیت، صفحه‌های سولار، شارژر وایرلس، سطل زباله و... قابلیت سفارشی‌سازی دارد.

INVERTED LIGHT

RO-E2010

DIAMOND

RO-E2011

Diamond Element is made of steel sheet and laser cutting, with geometry inspired by the elements of nature, in various dimensions and sizes and different lighting designs can be produced on behalf of other such products.

إلمان الماس از جنس ورق فولادی و برش لیزر، با هندسه‌ای الهام گرفته از عناصر طبیعت، در ابعاد و اندازه‌های گوناگون و طرح‌های روشنایی مختلف به نمایندگی از دیگر محصولاتی از این قبیل قابل تولید می‌باشد.

DESKTOP STUDY LAMP

RO-E2013

The creative design of the reading lamp made of steel material is an example of urban beauty designs with the concept of promoting reading and the illumination of science.

طرح خلاقانه چراغ مطالعه ساخته شده از متریال فولاد، نمونه‌ای از طرح‌های اِلمان زیبایی شهری با مفهوم ترویج مطالعه و بینش روشنایی علم می‌باشد.

OTANA LIGHT TOWER

RO-R7030

STEEL FLAG

RO-E2014

STAINLESS STEEL FLAG

RO-E2015

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

DISPLAY STAND

RO-E2017

Advertising stands can be produced in various designs and sizes for installing banners and posters to manage advertising spaces in the city along with their lighting system.

استندهای تبلیغاتی در طرح‌ها و اندازه‌های گوناگون برای نصب بنرها و پوسترها جهت مدیریت فضاهای تبلیغاتی در سطح شهر در کنار سیستم روشنایی خود قابل تولید می‌باشند.

HEARTS

RO-E2018

DUMMY & UMBRELLA

RO-E2012

The element of the dummy and umbrella, expresses kindness and sacrifice by instilling concepts of valuable family cultures and with a steel structure and lighting.

اِلمان آدمک و چتر با القای مفاهیمی از فرهنگ‌های ارزشمند خانواده و با ساختاری فولادی و روشنایی، بیان‌گر مهربانی و فداکاری است.

OTHER
LED
LIGHTS

NOORA PROJECTOR SERIES

NOORA-P192
RNL-192

BODY · LAMPSHADE · 192W · 59 CM · 41 CM

NOORA P144
RNL-144

BODY · LAMPSHADE · 144W · 59 CM · 62 CM

NOORA-P48
RNL-048

BODY · LAMPSHADE · 48W · 25 CM · 24 CM

NOORA-P72
RNL-072

BODY · LAMPSHADE · 72W · 25 CM · 62 CM

NOORA-P96
RNL-096

BODY · LAMPSHADE · 96W · 59 CM · 24 CM

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

NOORA HEADLIGHT SERIES

NOORA-H192
RNP-192

STEEL | AC | 3000K 6500K COLOR TEMP | IP 65 | L

BODY | LAMPSHADE | 192W | 90°

NOORA H144
RNP-144

STEEL | AC | 3000K 6500K COLOR TEMP | IP 65 | L

BODY | LAMPSHADE | 144W | 90°

NOORA-H96
RNP-096

STEEL | AC | 3000K 6500K COLOR TEMP | IP 65 | L

BODY | LAMPSHADE | 96W | 90°

NOORA-H72
RNP-072

STEEL | AC | 3000K 6500K COLOR TEMP | IP 65 | L

BODY | LAMPSHADE | 72W | 90° | 42 CM

NOORA-H48
RNP-048

STEEL | AC | 3000K 6500K COLOR TEMP | IP 65 | L

BODY | LAMPSHADE | 48W | 90°

MARON

INDOOR
RO-I1240

BODY 7W 25 CM 20 CM

RAIDEN

OUTDOOR
UTL18
RO-F5318

BODY LAMPSHADE 18 X 1W 15 CM

KIAN SERIES

INDOOR

KIAN 2
RO-I1100

BODY 60 CM

KIAN 1
RO-I1000

BODY 60 CM

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

LIGHT FRAME SERIES

INDOOR

RO-W1260

RO-W1270

RO-W1280

FANOOS

INDOOR
RO-W6690

BODY

85 CM

21 CM

OUTDOOR
RO-W6651

BODY

LAMPSHADE

HEADLIGHT

48W

7W

42 CM

OUTDOOR
RO-W6691

BODY

LAMPSHADE

12W

19 CM

18 CM

* Please note these products may be discontinued or modified without notice. Visit the website for the latest products.

ARVIN

INDOOR
RO-W6688

ARAN

OUTDOOR
RO-W6692

STEEL	PP		3000K 6500K COLOR TEMP	90°	IP 42	L
BODY	LAMPSHADE	3W				14 CM

ARKA

OUTDOOR
RO-W6689

VALOR

INDOOR
RO-I1230

STEEL — BODY
AC — LAMPSHADE
2 X 2W
IP 20
3000K 6500K COLOR TEMP
90°
h — 18 CM
L — 9 CM

KAREN SERIES

OUTDOOR
KAREN-W48
RO-W6684

STEEL — BODY
AC — LAMPSHADE
48W
3000K 6500K COLOR TEMP
90°
IP 65
L — 46 CM

OUTDOOR
KAREN-W24
RO-W6685

STEEL — BODY
AC — LAMPSHADE
24W
3000K 6500K COLOR TEMP
90°
IP 65
L — 33 CM

OUTDOOR
KAREN-W12
RO-W6686

STEEL — BODY
AC — LAMPSHADE
12W
3000K 6500K COLOR TEMP
90°
IP 65
L — 22 CM

ALMA

OUTDOOR
RO-W6681

STEEL — BODY
AC — LAMPSHADE
12W
3000K 6500K — COLOR TEMP
IP 42
h — 25 CM

ARSHA

OUTDOOR
RO-W6687

ARAS

OUTDOOR
RO-W6646

AC
LAMPSHADE

TECHN
APPEN

CAL
DIX

INSTALLATION TYPE

TYPE A Thickness: 3 mm

TYPE B Thickness: 6 mm

TYPE C Thickness: 3 mm

TYPE D Thickness: 6 mm

TYPE E Thickness: 8 mm

TYPE F Thickness: 8 mm

TYPE G Thickness: 3 mm

TYPE H Thickness: 6 mm

TYPE I Thickness: 6 mm

TYPE J Thickness: 8 mm

TYPE K Thickness: 10 mm

TYPE M Thickness: 3 mm

مشخصات نصب پایه

TYPE N — Thickness: 6 mm

300, 300, 400, M 12, 100

TYPE O — Thickness: 8 mm

300, 300, 400, M 14, 100

TYPE P — Thickness: 10 mm

300, 300, 700, M 20, 200

TYPE Q — Thickness: 15 mm

300, 300, 800, M 22, 250

TYPE R — Thickness: 12 mm

250, 250, 800, M 20, 250

TYPE S — Thickness: 20 mm

300, 300, 900, M 24, 300

TYPE T — Thickness: 20 mm

350, 310, 310, 900, M 24, 300

TYPE U — Thickness: 6 mm

300, 150, 400, M 12, 100

TYPE V — Thickness: 8 mm

160, 460, 400, M 12, 100

TYPE W — Thickness: 8 mm

250, 550, 400, M 14, 100

TYPE X

250, 350, 250, M 8, 50

TYPE Y

250, 350, 400, M 12, 100

EXPLANATION OF SYMBOLS

The structure is made of steel

The structure is made of aluminum

The structure are made of cost iron

The cover is a product made of wood

The cover is a product made of Plast wood

The bubble is made of acrylic

The bubble is made of polypropylene

The bubble is made of polycarbonate

The bubble is made of tempered glass

The bubble is made of glass

Used LED lamp

Used linear SMD projector

Used COB Lamp with GU10 conector

Used LED module

Used LED Strip lamp

Useable 250~400 watt sodium vapor lamp (HST) & mercury vapor lamp (HME)

Used E27 Lamp holder

Used E40 Lamp holder

Used High Power LED lamp

The beam angle of light is 90 degrees

The beam angle of light is 60 degrees

The beam angle of light is 45 degrees

The beam angle of light is customize from 5 to 120 degrees

The beam angle of light is 140 to 70 degrees

The lamp is completely protected against the penetration of dust and water with low pressure flow.

The lamp is protected against solid objects larger than 1 mm and water sprayed on it from above.

The lamp is protected against solid objects larger than 12.5 mm and has no protection against water penetration.

Shows the product base installation specifications.

Displays the color temperature of the lamp based on warm white (3000k) or cool white (6500k)

Specifies the height of the product.

Specifies the lenght of the product.

Specifies the diameter of the product.

It has a powder electrostatic coating with UV resistance with the ability to apply polyurethane paint.

Protective earth connection.

Special for outdoor installation.

Special for indoor installation.

European CE standard.

ISO 9001 quality management system standard certification.

Ability to broadcast RGB lights.

توضیحات علائم اختصاری

نماد	توضیح
STEEL	استفاده از فولاد در تولید سازه
ALU	استفاده از آلومینیوم در تولید سازه
CUST IRON	استفاده از چدن در تولید سازه
WOOD	استفاده از چوب در پوشش
WPC	استفاده از چوب پلاست در پوشش
AC	حباب اکریلیک
PP	حباب پلی پروپیلن
PC	حباب پلی کربنات
T GLASS	حباب شیشه سکوریت
GLASS	حباب شیشه ای
	لامپ ال.ای.دی
	پروژکتور اس.ام.دی خطی
	لامپ سی.اُو.بی با کانکتور جی.یو.تِن
	ماژول ال.ای.دی
	ال.ای.دی نواری
HST-HME	قابل استفاده برای لامپ ۲۵۰ الی ۴۰۰ وات بخار سدیم یا بخار جیوه
	سرپیچ ای۲۷
	سرپیچ ای۴۰
	لامپ پاور ال.ای.دی
90°	زاویه تابش نور ۹۰ درجه
60°	زاویه تابش نور ۶۰ درجه
45°	زاویه تابش نور ۴۵ درجه
5°-120°	زاویه تابش نور، قابل سفارش از ۵ الی ۱۲۰ درجه
140° X 70°	زاویه تابش نور ۷۰ در ۱۴۰ درجه با لنز پروانه ای
IP 65	لامپ چراغ کاملا در برابر نفوذ گردو غبار و آب با جریان کم فشار محافظت می شود.
IP 42	لامپ چراغ در برابر اشیاء جامد بیشتر از ۱ میلیمتر و پاشش آب از بالا بر روی آن محافظت می شود.
IP 20	لامپ چراغ در برابر اشیاء جامد بیشتر از ۱۲/۵ میلیمتر محافظت می شود و در برابر نفوذ آب محافظ ندارد.
BP	نوع نصب پایه
3000K 6500K COLOR TEMP	دمای رنگ لامپ قابل سفارش بین آفتابی (۳۰۰۰کلوین) و یا مهتابی (۶۵۰۰ کلوین) می باشد.
h	ارتفاع محصول
L	طول محصول
Ø	قطر محصول
ES PUR COLOR	دارای پوشش الکترواستاتیک پودری با مقاومت در برابر اشعه ماورا بنفش با قابلیت اعمال رنگ پلی اورتان.
	محافظت توسط اتصال زمین
	جهت نصب در فضای بیرون
	جهت نصب در فضای داخلی
CE	دارای استاندارد اتحادیه اروپا
ISO ISO 9001	دارای گواهینامه ایزو ۹۰۰۱
	قابلیت پخش طیف نورهای مختلف